

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	401	702/179.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
2	BRS	1893	375/130,140,353,317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
3	BRS	3686	327/67,73,87,93,94,95,96,100,193,527.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
4	BRS	455	702/179.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
5	BRS	2006	375/130,140,353,317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
6	BRS	3714	327/67,73,87,93,94,95,96,100,193,527.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	20732	(analys\$3 or analyz\$3) with input with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:14	
8	BRS	1918	(analys\$3 or analyz\$3) with input with signal\$1 and (detect\$3 or determin\$3 or monitor\$3 or sens\$3) with event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:15	
9	BRS	1	(analys\$3 or analyz\$3) with input with signal\$1 and (detect\$3 or determin\$3 or monitor\$3 or sens\$3) with event\$1 with (predetermined or threshold\$1 or desired or expected or limit\$3 or preset\$4 or predefined or preselect\$3) with level\$1 with slope\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:17	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	3	(analyz\$3 or analyz\$3) with input with signal\$1 and (detect\$3 or determin\$3 or monitor\$3 or sens\$3) with event\$1 same (predetermined or threshold\$1 or desired or expected or limit\$3 or preset\$4 or predefined or preselect\$3) with level\$1 with slope\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:19	
11	BRS	2	(analyz\$3 or analyz\$3) with input with signal\$1 and event\$1 with (predetermined or threshold\$1 or desired or expected or limit\$3 or preset\$4 or predefined or preselect\$3) with level\$1 with slope\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	28	input with signal\$1 and event\$1 with (predetermined or threshold\$1 or desired or expected or limit\$3 or preset\$4 or predefined or preselect\$3) with level\$1 with slope\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:20	
13	BRS	2	input with signal\$1 and event\$1 with (predetermined or threshold\$1 or desired or expected or limit\$3 or preset\$4 or predefined or preselect\$3) with level\$1 with slope\$1 and shift\$3 with space\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:21	
14	BRS	3	input with signal\$1 and event\$1 with (predetermined or threshold\$1 or desired or expected or limit\$3 or preset\$4 or predefined or preselect\$3) with level\$1 with slope\$1 and shift\$3 with spac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:21	

Type	Hits	Search Text	DBs	Time Stamp	Comments
15 BRS	4	input with signal\$1 and event\$1 with (predetermined or threshold\$1 or desired or expected or limit\$3 or preset\$4 or predefined or preselect\$3) with level\$1 with slope\$1 and shift\$3 with event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:24	
16 BRS	1602	multiple with incoming with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:25	
17 BRS	100	multiple with version with (receiv\$3 or incoming) with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:25	
18 BRS	2	multiple with version with (receiv\$3 or incoming) with signal\$1 and slop\$3 with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:27	
19 BRS	5	multiple with version with (receiv\$3 or incoming) with signal\$1 and slop\$3 same level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	3064	signal\$1 with slop\$3 with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:27	
21	BRS	433	signal\$1 with predetermined with slop\$3 with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:28	
22	BRS	39	input\$3 with signal\$1 with predetermined with slop\$3 with level\$1 and shift\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:28	
23	BRS	119	input\$3 with signal\$1 with predetermined with slop\$3 with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:32	
24	BRS	14	input\$3 with signal\$1 with predetermined with slop\$3 with level\$1 and version\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 16:06	
25	BRS	1	input\$3 with signal\$1 with predetermined with slop\$3 with level\$1 and shift\$3 with statistic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 16:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
26	BRS	39	input\$3 with signal\$1 with predetermined with slop\$3 with level\$1 and shift\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:09	
27	BRS	12	input\$3 with signal\$1 with predetermined with slop\$3 with level\$1 and tim\$3 with shift\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:50	
28	BRS	12	input\$3 with signal\$1 with predetermined with slop\$3 with level\$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim\$3 with shift\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:23	
29	BRS	14	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined) with slop\$3 with level\$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim\$3 with shift\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	2	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined) with slop\$3 with level\$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim\$3 with shift\$3) not S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:25	
31	BRS	95	input\$3 with signal\$1 and (preset\$4 or predefined or preselect\$3 or predetermined) with slop\$3 with level\$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim\$3 with shift\$3) not S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	65	input\$3 with signal\$1 and (preset\$4 or predefined or preselect\$3 or predetermined) with slop\$3 with level\$1 and (time- shift or timing-shift or time-shifting or timing- shifting or tim\$3 with shift\$3) and (mix\$5 or combin\$6) with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:26	
33	BRS	29	input\$3 with signal\$1 and (preset\$4 or predefined or preselect\$3 or predetermined) with slop\$3 with level\$1 and (time- shift or timing-shift or time-shifting or timing- shifting or tim\$3 with shift\$3) and event\$1 and (mix\$5 or combin\$6) with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	11	input\$3 with signal\$1 and (preset\$4 or predefined or preselect\$3 or predetermined) with slop\$3 with level\$1 and (time- shift or timing-shift or time-shifting or timing- shifting or tim\$3 with shift\$3) and statist\$6 and (mix\$5 or combin\$6) with signal\$1.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:58	
35	IS&R	2	("6539320").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 16:37	
36	IS&R	2	("4387465").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 16:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
37	BRS	1	input\$3 with signal\$1 and (preset\$4 or predefined or preselect\$3 or predetermined) with slop\$3 with level\$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim\$3 with shift\$3) with cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:55	
38	BRS	16	input\$3 with signal\$1 and cross\$3 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim\$3 with shift\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:06	
39	BRS	1	"3569843".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:05	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	22	input\$3 with signal\$1 and cross\$3 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (time- shift or timing-shift or time-shifting or timing- shifting or tim\$3 with shift\$3 or tim\$3 adj delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:06	
41	BRS	6	input\$3 with signal\$1 and cross\$3 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (time- shift or timing-shift or time-shifting or timing- shifting or tim\$3 with shift\$3 or tim\$3 adj delay\$3) not S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:08	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	5	input\$3 with signal\$1 and cross\$3 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:10	
43	BRS	448	input\$3 with signal\$1 and (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:10	
44	BRS	77	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:11	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
45	BRS	14	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 same (delay\$3 or shift\$3) with tim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:11	
46	BRS	0	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 with (overlap or superimpose\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:12	
47	BRS	18	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 and (overlap or superimpose\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	14	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 and superimpose\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:12	
49	BRS	21	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 and (overlap\$4 or superimpose\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:12	
50	BRS	0	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 same (overlap\$4 or superimpose\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
51	BRS	2	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 and (overlap\$4 or superimpose\$1) with frequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:13	
52	BRS	2	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 and (overlap\$4 or superimpose\$1) with waveform\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	16	input\$3 with signal\$1 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 and (overlap\$4 or superimpose\$1) and event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:18	
54	BRS	3	input\$3 with signal\$1 and cross\$3 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 with event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:19	
55	BRS	6	input\$3 with signal\$1 and cross\$3 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 same event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
56	BRS	15	input\$3 with signal\$1 and cross\$3 with (preset\$4 or predefined or preselect\$3 or predetermined or reference) with slop\$3 with level\$1 and (delay\$3 or shift\$3) with tim\$3 and event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:19	